

## MONI-PT100-4/20MA SENSOR ASSEMBLY FOR HAZARDOUS AREAS



nVent RAYCHEM MONI-PT100-4/20MA is a PT100 sensor connected to a 4-20 mA transmitter built into a black glass fiber reinforced polyester junction box. Suitable for hazardous areas.

### FEATURES & BENEFITS

Simple and fast to install: built in a black glass fiber reinforced polyester junction box with blue M20 cable gland

Temperature measuring range: -50 °C to +250 °C

### SPECIFICATIONS

**Housing Material** Glass Fibre Reinforced Polyester

**Mounting** Bracket

**Max Measuring Range** 250 °C

**Operating Temperature** -20 to 55 °C

**Fixed Cable to Sensor** Yes

**Cable Length** 2 m

**Sensor Tip Diameter** 3 mm

704058-000	PT100-4/20MA
------------	--------------

**North America**

Tel +1.800.545.6258  
Fax +1.800.527.5703  
thermal.info@nvent.com

**Europe, Middle East, Africa**

Tel +32.16.213.511  
Fax +32.16.213.604  
thermal.info@nvent.com

**Asia Pacific**

Tel +86.21.2412.1688  
Fax +86.21.5426.3167  
cn.thermal.info@nvent.com

**Latin America**

Tel +1.713.868.4800  
Fax +1.713.868.2333  
thermal.info@nvent.com



Our powerful portfolio of brands:  
**nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER**

© 2021 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.  
nVent reserves the right to change specifications without notice.