


LS4 Electric Car Charging Stations



MODERN AND RELIABLE SOLUTIONS FOR DRIVERS

The GARO's LS4 station is manufactured from marine grade aluminum, which means it meets the strict requirements for devices installed in public places. Its construction allows it to be directly bolted to the ground (e.g. concrete), or mounted on a pole mounted assembly

The top of the charger features a 360° light indicator which displays the charge status of each station from a distance. The front illuminated surface, is available for customer logo and instructions.

The station is equipped with two illuminated type 2 sockets protected against weather conditions. Garo's LS4 is available in 16 A, 32 A versions, both single and 3-phase, with optional MID certified electricity meter. It has separate protection and residual current circuit breakers for each socket and integrated electronics communication between the station and the car.

The stations are equipped with intelligent controllers for each of the sockets enabling work with OCPP 1.5 and 1.6 protocols.

As a part of an installed station group, (up to 25 LS4 stations), a Dynamic Load Management (DLM) can be activated, which can dynamically control the power of each LS4 socket working in the group.

System overview

- Car charging in Mode 3
- Type 2 connector from 3.7 kW to 22 kW
- Simple and intuitive operation
- User identification - RFID reader
- Charger status information
- Possibility of integration with Back Office (open OCPP protocol)
- Built-in communication (3G, LAN)
- Ability to activate DLM (dynamic power limitation of each socket)

Main Features

- Connectors Mode 3
- Personalisation
- Floor-standing or wall-mounting
- Plug & play installation
- Free-standing or integrated construction with management system
- local and remote monitoring and control of devices
- compact version available (station dimensions 1400/375/208 mm)

Recommended Locations for Installation

- Car parks in public spaces
- Supermarkets & shopping centres
- Bus and rail stations
- Restaurants

ECONOMY OF USAGE
Don't overpay - save!

SIMPLICITY OF USAGE
User-friendly product

COMMUNICATION AND CONTROL
Remote management of up to 32 Devices

AVAILABLE CONNECTORS
2 types of connectors Type 1 & Type 2

Technical details

Charger power (power input)	Max. 2x22kW
1 or 3 phase power supply, cabling, power parameters	Max. 3F: L1, L2, L3, N, PE; 400V, 50HZ CE
Electrical Protection Type	RCD of type A or B and circuit breaker < 10 W/h
Power consumption in standard mode	< 10W/h
Charging standards	IEC62196 Type-2, Type-1
Available connectors	2 x Type 2 socket (version with sockets) 2 x Type 2 / Type 1 plug (version with cables)
Simultaneous 2 cars chargers	Yes
IP / IK	IP44 / IK10
Working temperature range	-25° to +50°C (with cold option from -35°C)
Humidity	5 - 95%
Dimensions / weights	1400/375/208mm / 25kg

3G Models		
LS4DCM-T237WO-MC	353563	2 x 3.7kw outlets Metered & Ethernet c/w 3G & RFID, No Tags
LS4DCM-T274WO-MC	353606	2 x 7.4kw outlets Metered & Ethernet c/w 3G & RFID, No Tags
LS4DCM-T211WO-MC	353564	2 x 11kw outlets Metered & Ethernet c/w 3G & RFID, No Tags
LS4DCM-T222WO-MC	353565	2 x 22kw outlets Metered & Ethernet c/w 3G & RFID, No Tags
LAN Models		
LS4DCM-T237WO-LAN	353566	2 x 3.7kw outlets Metered ,LAN & RFID, No Tags
LS4DCM-T274WO-LAN	353607	2 x 7.4kw outlets Metered ,LAN & RFID, No Tags
LS4DCM-T211WO-LAN	353567	2 x 11kw outlets Metered ,LAN & RFID, No Tags
LS4DCM-T222WO-LAN	353568	2 x 22kw outlets Metered ,LAN & RFID, No Tags
Compact 3G Models		
LS4DCM-T237WO-MCC	353569	Compact 2 x 3.7kw outlets Metered & Ethernet c/w 3G & RFID, No Tags
LS4DCM-T274WO-MCC	353608	Compact 2 x 7.4kw outlets Metered & Ethernet c/w 3G & RFID, No Tags
LS4DCM-T211WO-MCC	353570	Compact 2 x 11kw outlets Metered & Ethernet c/w 3G & RFID, No Tags
LS4DCM-T222WO-MCC	353571	Compact 2 x 22kw outlets Metered & Ethernet c/w 3G & RFID, No Tags
Compact LAN Models		
LS4DCM-T237WO-LANC	353572	Compact 2 x 3.7kw outlets Metered ,LAN & RFID, No Tags
LS4DCM-T274WO-LANC	353609	Compact 2 x 7.4kw outlets Metered ,LAN & RFID, No Tags
LS4DCM-T211WO-LANC	353573	Compact 2 x 11kw outlets Metered ,LAN & RFID, No Tags
LS4DCM-T222WO-LANC	353574	Compact 2 x 22kw outlets Metered ,LAN & RFID, No Tags



For all enquiries please contact your nearest Cable Services branch:

CS - Wrexham Tel: 01978 340450 • E: sales@cableservices.co.uk
CS - Stone Tel: 01785 825970 • E: central@cableservices.co.uk
CS - Liverpool Tel: 0151 9339022 • E: liverpool@cableservices.co.uk

CS - Swindon Tel: 01793 953399 • E: swindon@cableservices.co.uk
CS - Glasgow Tel: 0141 6212060 • E: scotland@cableservices.co.uk
CS - International Tel: 01978 340452 • E: export@cableservices.co.uk

For further information please visit: www.cableservices.co.uk or follow us on   