

- Managed Absorbent & Wipe Stations
- Oil Absorbents and Spill Kits
- Approved Wet Wipes & Low Lint / Lint Free Wipes



## Safety Data Sheet

For more information / technical support and product demonstration please contact us (details below)

### WipeMaster Handy Tub 10

#### Section 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name:** Wipemaster Handy Tub 10

**Product code:** 5849/5850

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** PC39: Cosmetics, personal care products.

##### 1.2. Details of the supplier of the safety data sheet

**Company name:**

Censol Limited  
Forbes Close, Long Eaton  
Nottingham, Nottinghamshire  
NG10 1PR. United Kingdom

**Tel:** 0115 9727070

**Email:** info@censol.co.uk

##### 1.3. Emergency telephone number

**Emergency tel:** (0115 9727070)

#### Section 2: Hazards identification

##### 2.1. Classification of the substance or mixture

**Classification under CLP:** This product has no classification under CLP.

##### 2.2. Label elements

**Label elements:**

**Precautionary statements:** P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice/attention.

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

**WipeMaster**<sup>®</sup>  
ENGINEERED WIPING

**spillmaster**<sup>®</sup>

Managed Absorbent & Wipe Stations | Oil Absorbents and Spill Kits | Approved Wet Wipes & Low Lint / Lint Free Wipes

V.A.T No. 520 8125 80  
Company Reg No. 02416532  
ISO 9001 & 14001 Registered Firm



Tel. 0115 972 7070



Email. info@censol.co.uk



Web. www.censol.co.uk



- Managed Absorbent & Wipe Stations
- Oil Absorbents and Spill Kits
- Approved Wet Wipes & Low Lint / Lint Free Wipes



## Safety Data Sheet

For more information / technical support and product demonstration please contact us (details below)

### 2.3. Other hazards

**Other hazards:** Not applicable.

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

**Hazardous ingredients:**

PROPAN-2-OL	EINECS	CAS	PBT / WEL	CLP Classification	Percent
	200-661-7		67-63-0	- Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	1-10%
C9-11 ALCOHOL ETHOXYLATE 6-8 MOLES EO	-		68439-46-3	- Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

### Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Not applicable.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** No symptoms. Dermatological testing has been conducted

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

- Managed Absorbent & Wipe Stations
- Oil Absorbents and Spill Kits
- Approved Wet Wipes & Low Lint / Lint Free Wipes



## Safety Data Sheet

For more information / technical support and product demonstration please contact us (details below)

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

#### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

**Handling requirements:** Not applicable.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Suitable packaging:** Not applicable.

**WipeMaster**<sup>®</sup>  
ENGINEERED WIPING

**spillmaster**<sup>®</sup>

Managed Absorbent & Wipe Stations | Oil Absorbents and Spill Kits | Approved Wet Wipes & Low Lint / Lint Free Wipes

V.A.T No. 520 8125 80  
Company Reg No. 02416532  
ISO 9001 & 14001 Registered Firm



Tel. 0115 972 7070



Email. [info@censol.co.uk](mailto:info@censol.co.uk)



Web. [www.censol.co.uk](http://www.censol.co.uk)



- Managed Absorbent & Wipe Stations
- Oil Absorbents and Spill Kits
- Approved Wet Wipes & Low Lint / Lint Free Wipes



## Safety Data Sheet

For more information / technical support and product demonstration please contact us (details below)

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Hazardous ingredients:

#### PROPAN-2-OL

##### Workplace exposure limits:

State	8 hour TWA	15 min. STEL
UK	999 mg/m <sup>3</sup>	1250 mg/m <sup>3</sup>

##### Respirable dust

8 hour TWA	15 min. STEL
-	-

#### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Not applicable.

**Eye protection:** Not applicable.

**Skin protection:** Protective clothing.

**Environmental:** No special requirement.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Non Woven Wipe impregnated with aqueous based solution

**Colour:** Colourless

**Odour:** Characteristic odour

**Evaporation rate:** No data available.

**Oxidising:** No data available.

**Solubility in water:** Highly soluble

**Boiling point/range°C:** >35 **Melting point/range°C:** No data available.

**Flammability limits %:** **lower:** No data available. **upper:** No data available.

**Flash point°C:** >93 **Part.coeff. n-octanol/water:** No data available.

**WipeMaster**<sup>®</sup>  
ENGINEERED WIPING

**spillmaster**<sup>®</sup>

Managed Absorbent & Wipe Stations | Oil Absorbents and Spill Kits | Approved Wet Wipes & Low Lint / Lint Free Wipes

V.A.T No. 520 8125 80  
Company Reg No. 02416532  
ISO 9001 & 14001 Registered Firm



Tel. 0115 972 7070



Email. [info@censol.co.uk](mailto:info@censol.co.uk)



Web. [www.censol.co.uk](http://www.censol.co.uk)

- Managed Absorbent & Wipe Stations
- Oil Absorbents and Spill Kits
- Approved Wet Wipes & Low Lint / Lint Free Wipes



## Safety Data Sheet

For more information / technical support and product demonstration please contact us (details below)

**Autoflammability°C:** No data available. **Vapour pressure:** No data available.

**Relative density:** No data available. **pH:** Approx. 7

**VOC g/l:** No data available.

### 9.2. Other information

**Other information:** Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

**PROPAN-2-OL**

IVN RAT LD50 1088 mg/kg

ORL MUS LD50 3600 mg/kg

ORL RAT LD50 5045 mg/kg

SCU MUS LDLO 6 gm/kg

**WipeMaster**<sup>®</sup>  
ENGINEERED WIPING

**spillmaster**<sup>®</sup>

Managed Absorbent & Wipe Stations | Oil Absorbents and Spill Kits | Approved Wet Wipes & Low Lint / Lint Free Wipes

V.A.T No. 520 8125 80  
Company Reg No. 02416532  
ISO 9001 & 14001 Registered Firm



Tel. 0115 972 7070



Email. [info@censol.co.uk](mailto:info@censol.co.uk)



Web. [www.censol.co.uk](http://www.censol.co.uk)





- Managed Absorbent & Wipe Stations
- Oil Absorbents and Spill Kits
- Approved Wet Wipes & Low Lint / Lint Free Wipes



## Safety Data Sheet

For more information / technical support and product demonstration please contact us (details below)

### C9-11 ALCOHOL ETHOXYLATE 6-8 MOLES EO

DERMAL RAT LD50 >2000 mg/kg

#### Excluded hazards for substance:

Hazard Route Basis

Acute toxicity (ac. tox. 4) - No hazard: calculated

Acute toxicity (ac. tox. 3) - No hazard: calculated

Acute toxicity (ac. tox. 2) - No hazard: calculated

Acute toxicity (ac. tox. 1) - No hazard: calculated

Skin corrosion/irritation - No hazard: calculated

Serious eye damage/irritation - No hazard: calculated

Respiratory/skin sensitisation - No hazard: calculated

Germ cell mutagenicity - No hazard: calculated

Carcinogenicity - No hazard: calculated

Reproductive toxicity - No hazard: calculated

STOT-single exposure - No hazard: calculated

STOT-repeated exposure - No hazard: calculated

Aspiration hazard - No hazard: calculated

#### Symptoms / routes of exposure

**Skin contact:** No symptoms. Dermatological testing has been conducted

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Other information:** Information is based on Dermatological testing and Safety Assessment, in accordance with the Cosmetic Regulation (REGULATION (EC) No 1223/2009)

## Section 12: Ecological information

### 12.1. Toxicity

**Hazardous ingredients:**

#### C9-11 ALCOHOL ETHOXYLATE 6-8 MOLES EO

Daphnia magna 48H EC50 >5.3 mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** Not biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** Bioaccumulation potential.

**WipeMaster**<sup>®</sup>  
ENGINEERED WIPING

**spillmaster**<sup>®</sup>

Managed Absorbent & Wipe Stations | Oil Absorbents and Spill Kits | Approved Wet Wipes & Low Lint / Lint Free Wipes

V.A.T No. 520 8125 80  
Company Reg No. 02416532  
ISO 9001 & 14001 Registered Firm



Tel. 0115 972 7070



Email. [info@censol.co.uk](mailto:info@censol.co.uk)



Web. [www.censol.co.uk](http://www.censol.co.uk)



- Managed Absorbent & Wipe Stations
- Oil Absorbents and Spill Kits
- Approved Wet Wipes & Low Lint / Lint Free Wipes



## Safety Data Sheet

For more information / technical support and product demonstration please contact us (details below)

### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** Toxic to aquatic organisms. Toxic to soil organisms.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Not applicable.

**Disposal of packaging:** Not applicable.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 November 2009 on cosmetic products.

### 15.2. Chemical Safety Assessment

- Managed Absorbent & Wipe Stations
- Oil Absorbents and Spill Kits
- Approved Wet Wipes & Low Lint / Lint Free Wipes



## Safety Data Sheet

For more information / technical support and product demonstration please contact us (details below)

### Section 16: Other information

#### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 November 2009 on cosmetic products

**Phrases used in s.2 and s.3:** H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Compilation Date: 16/11/2021

Revision: 4

**DISCLAIMER:** The information provided relates only to the product or material specified and does not apply if used in combination with other materials. The data sheet gives information to the best of our knowledge and awareness as of its issue date. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to be satisfied that the information provided is suitable and complete enough for this material's particular use.

**WipeMaster**<sup>®</sup>  
ENGINEERED WIPING

**spillmaster**<sup>®</sup>

Managed Absorbent & Wipe Stations | Oil Absorbents and Spill Kits | Approved Wet Wipes & Low Lint / Lint Free Wipes

V.A.T No. 520 8125 80  
Company Reg No. 02416532  
ISO 9001 & 14001 Registered Firm



Tel. 0115 972 7070



Email. [info@censol.co.uk](mailto:info@censol.co.uk)



Web. [www.censol.co.uk](http://www.censol.co.uk)

